

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the present application:

Listing of Claims:

1. (CURRENTLY AMENDED) A method for providing a connectivity toolkit to a wireless communication device coupled with a connectivity toolkit server via a wireless communication network, the method comprising:

receiving from a wireless communication device a wireless data connection message at a tool kit server having access to a data storage area ~~from a wireless communication device,~~ the tool kit server having a network toolkit including programs configured to execute on the tool kit server, the network toolkit comprising multiple discrete computer programs that provide a single interface for access to the multiple discrete programs, the network toolkit configure to serve a plurality of wireless communication devices at any given time;

authenticating a user associated with the wireless communication device;

obtaining profile information from the wireless communication device, the profile information comprising a data storage capacity of the wireless communication device, an account status, and identification information for a portion of a server hosted data storage area associated with the wireless communication device; and

providing a menu of available connectivity toolkit utilities in response to a request from the wireless communication device, if the account status is current, wherein the menu is displayed on the wireless communication device, the request comprising a

unique file identifier provided to the wireless communication device by the toolkit server in the context of a directory listing.

2. (ORIGINAL) The method of claim 1, further comprising:

receiving a request for a directory listing ;

obtaining a list of files associated with the requesting user; and

providing the list of files, wherein the list of files is displayed on the wireless communication device.

3. (ORIGINAL) The method of claim 2, wherein the obtaining step further comprises:

querying a file system on the connectivity toolkit server to determine a list of user files; and

identifying a user file associated with the requesting user.

4. (ORIGINAL) The method of claim 1, further comprising:

receiving a request to download a file, the request comprising a file identifier;

obtaining the file size of the requested file;

comparing the file size to a predetermined threshold file size value; and

denying the request to download the file when the file size exceeds the predetermined threshold file size value.

5. (ORIGINAL) The method of claim 1, further comprising:

receiving a request to download a file, the request comprising a file identifier;

obtaining the file size of the requested file; comparing the file size to a predetermined threshold file size value;

approving the request to download the file when the file size is smaller than the predetermined threshold file size value; and

providing the requested file via a wireless communication network.

6. (ORIGINAL) The method of claim 1, further comprising:

receiving a request to upload an identified file, the request comprising a filename and a file size;

comparing the file size to a predetermined threshold file size value;

approving the request to upload the file when the file size is smaller than the predetermined threshold file size value; and

receiving the identified file via a wireless communication network.

7. (CURRENTLY AMENDED) A wireless connectivity toolkit system, comprising:

a wireless connectivity toolkit server communicatively coupled with a wireless communication network, the wireless connectivity toolkit server having a data storage area, the wireless connectivity toolkit server including a network toolkit, the network toolkit configured to serve a plurality of wireless communication devices at any given time
~~the toolkit server communicatively coupled with a wireless communication network;~~

a wireless communication device communicatively coupled with the wireless connectivity toolkit server via the wireless communication network, wherein the wireless communication device establishes a session with the wireless connectivity toolkit server over the wireless communication network, the session allowing execution of the utility

programs on the wireless connectivity toolkit server, the utility programs comprising a plurality of discrete computer programs managed by an administrative program that allows a single user interface to the plurality of discrete computer programs, the administrative computer program allowing operation of a first of the discrete computer programs which enables access to a portion of the data storage area reserved for the wireless communication device for uploading files and allowing operation of a second of the discrete computer programs which enables access to a portion of the data storage area reserved for the wireless communication device for downloading of files, wherein access is granted in response to a request from the wireless communication device, the request comprising a unique file identifier provided to the wireless communication device by the toolkit server in the context of a directory listing.

8. (ORIGINAL) The wireless connectivity toolkit system of claim 7, wherein the plurality of utility programs comprises a file transfer program.

9. (ORIGINAL) The wireless connectivity toolkit system of claim 8, wherein the file transfer program facilitates the transfer of files between the wireless communication device and the wireless connectivity toolkit server.

10. (ORIGINAL) The wireless connectivity toolkit system of claim 7, wherein the data storage area coupled with wireless connectivity server provides data storage for a plurality of wireless communication devices, the data storage accessible to the plurality of wireless communication devices via the wireless communication network.

11. (ORIGINAL) The wireless connectivity toolkit system of claim 10, wherein the network based data storage is provided to a wireless communication device for a fee.

12. (ORIGINAL) The wireless connectivity toolkit system of claim 11, wherein the fee is based on the total amount of data storage in use by the wireless communication device.

13. (ORIGINAL) The wireless connectivity toolkit system of claim 11, wherein the fee is based on the total amount of data storage available for use by the wireless communication device.

14. – 20. CANCELLED.

21. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the profile information further comprises a communication speed of the wireless communication device.

22. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the providing step further comprises compressing the menu of available connectivity toolkit utilities, wherein the menu is uncompressed by the wireless communication device prior to being displayed.

23. (CURRENTLY AMENDED) A wireless connectivity toolkit system, comprising:

a wireless connectivity toolkit server communicatively coupled with a first network and a second network, the wireless connectivity toolkit server having a data storage

area, wireless connectivity toolkit server including a network toolkit including and a plurality of utility programs, the utility programs comprising a plurality of discrete computer programs managed by an administrative program that allows a single user interface to the plurality of discrete computer programs, the network toolkit configured to serve a plurality of wireless communication devices at any given time, the toolkit server
~~communicatively coupled with a first network and a second network;~~ wherein the first network is a wireless communication network and the second network is different from the first network and is a public network;

a wireless communication device communicatively coupled with the wireless connectivity toolkit server via the first network, wherein the wireless communication device establishes a session with the wireless connectivity toolkit server over the first network, the session allowing execution of the utility programs comprising the administrative computer program controlling one of the discrete computer programs which enables access to a portion of the data storage area reserved for the wireless communication device; and

a network enabled device communicatively coupled with the wireless connectivity toolkit server via the second network, wherein the network enabled device establishes a session with the wireless connectivity toolkit server over the second network, the session allowing the administrative computer program to control one of the discrete computer programs which enables access to a portion of the data storage area reserved for the wireless communication device.

24. (CURRENTLY AMENDED) A method for managing data on a wireless communication device coupled with a connectivity toolkit server via a wireless communication network, the method comprising:

providing a connectivity toolkit server having a data storage area and a plurality of utility programs, the connectivity toolkit server communicatively coupled with a first network and a second network, the tool kit server having a network toolkit including programs configured to execute on the tool kit server, the network toolkit comprising multiple discrete computer programs that provide a single interface for access to the multiple discrete computer programs, the network toolkit configured to serve a plurality of wireless communication devices at any given time, wherein the first network is a public network and the second network is different from the first network and is a wireless communication network;

establishing a first session between the connectivity toolkit server and a network enabled device over the first network, the first session allowing access to the data storage area wherein establishing a first session includes determining whether a first account status is current; and

establishing a second session between the connectivity toolkit server and a wireless communication device over the second network, the second session allowing execution of the utility programs and access to the data storage area wherein establishing a second session includes determining whether a second account status is current.

25. (PREVIOUSLY PRESENTED) The method of claim 24, further comprising authenticating a user associated with the network enabled device prior to establishing the first session.

26. (PREVIOUSLY PRESENTED) The method of claim 25, further comprising obtaining profile information associated with the authenticated user, the profile information comprising identification of a discrete portion of the data storage area reserved for the authenticated user.

27. (PREVIOUSLY PRESENTED) The method of claim 24, further comprising authenticating a user associated with the wireless communication device prior to establishing the second session.

28. (PREVIOUSLY PRESENTED) The method of claim 27, further comprising obtaining profile information associated with the authenticated user, the profile information comprising an identification of a discrete portion of the data storage area reserved for the authenticated user.